

SYMPHONY® m | SYMPHONY® m High NRC

Smooth
Mineral Fiber

The Symphony line provides a full range of ultra-durable acoustic solutions with a consistent, smooth visual. Combine Symphony and Adagio® products for targeted acoustics and coordinated visuals across the project.




APPLICATIONS

- Private Offices
- Conference Rooms
- Libraries
- Classrooms
- Doctors' Offices / Patient Rooms
- Exam / Treatment Rooms
- Other Commercial Buildings / Space Applications

FEATURES AND BENEFITS

- Excellent sound absorption (NRC 0.70-0.80) and sound blocking (CAC 33-41)
- Certified clean room component to ISO Class 4 (highest among comparable products)
- Surface washability exceeds 1,000 cycles with sanitizing chemicals
- High light reflectance enhances conventional lighting, which can reduce fatigue and eye strain
- Exceeds FGI guidelines for cleanability and acoustic performance
- Compliant with LEED for Schools classroom acoustic prerequisite
- **SmartFit panels available** – fully fabricated off-the-shelf solution to accommodate linear lighting, ventilation and utility areas with standard components
- **CertaSize® program** – non-standard sizes made to order on select products. One carton minimum. Lead time varies. Contact your local sales rep or Customer Support
- High USDA Certified Biobased content at 98%.
- Declare Label / LBC Red List Free

SUSPENSION SYSTEM OPTIONS



LEED® v4

RECYCLED CONTENT

62%

- ✓ EA: Optimize Energy Performance
- ✓ EA: Prereq. Min. Energy Performance
- ✓ EQ: Interior Lighting
- ✓ MR: PBT Source Reduction (Healthcare)
- ✓ EQ: Acoustic Performance
- ✓ EQ: Prereq. Min. Acoustic Performance (Schools)
- ✓ EQ: Low-Emitting Materials
- ✓ EQ: Daylight
- ✓ MR: Material Ingredients (HPDs)
- ✓ MR: Sourcing Raw Materials
- ✓ MR: Environmental Product Declarations (EPDs)
- ✓ MR: Construction and Demolition Waste Management Planning



EPD Available



HPD Available



Recycled Content



DeclareSM
Living Building Challenge Red List Free[®]

CertainTeed
SAINT-GOBAIN

Customer Support | certainteed.com/ceilings | 800-233-8990

SYMPHONY® m | SYMPHONY® m High NRC

Smooth
Mineral Fiber

All products in this line
feature these attributes:



SAG
RESISTANT



BIOSHIELD®
MOLD/MILDEW
RESISTANT



LR
0.90



WASHABLE
w/SANITIZING
CHEMICALS



EPD
AVAILABLE



HPD
AVAILABLE






EMISSION
COMPLIANT
CERTIFIED




RECYCLED
CONTENT
62%

SYMPHONY m High NRC

	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet		
TRIM											
	NRC 80	1222-80-1	Panels	24 x 24 x 7/8	0.80	35	62%*	14	56	64	16
		1220-80-1	Panels	24 x 48 x 7/8	0.80	35	62%*	8	64	74	14
		1221-80-1	Panels	24 x 60 x 7/8	0.80	35	62%*	8	80	92	14
		1228-80-1	Panels	24 x 72 x 7/8	0.80	35	62%*	8	96	110	14
		1223-80-1	Panels	30 x 30 x 7x8	0.80	35	62%*	8	50	58	28
REVEAL											
	NRC 80	1222BB-80-1	Panels	24 x 24 x 7/8	0.80	35	62%*	14	56	64	16
		1220BB-80-1	Panels	24 x 48 x 7/8	0.80	35	62%*	8	64	74	14
		1221BB-80-1	Planks	24 x 60 x 7/8	0.80	35	62%*	8	80	92	14
		1228BB-80-1	Planks	24 x 72 x 7/8	0.80	35	62%*	8	96	110	14
NARROW REVEAL											
	NRC 80	1222BF-80-1	Panels	24 x 24 x 7/8	0.80	35	62%*	14	56	64	16
		1220BF-80-1	Panels	24 x 48 x 7/8	0.80	35	62%*	8	64	74	14
		1221BF-80-1	Planks	24 x 60 x 7/8	0.80	35	62%*	8	80	92	14
		1228BF-80-1	Planks	24 x 72 x 7/8	0.80	35	62%*	8	96	110	14

*Manufacturer certified pending independent confirmation

SYMPHONY m

	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet			
TRIM												
	NRC 75	1222-75-1	Panels	24 x 24 x 3/4	0.75	36	62%	14	56	56	16	
		1220-75-1	Panels	24 x 48 x 3/4	0.75	36	62%	8	64	64	16	
		1223-75-1	Panels	30 x 30 x 3/4	0.75	36	62%	8	50	50	28	
		1229-75-1	Panels	30 x 60 x 3/4	0.75	36	62%	8	100	100	16	
		12220-60-75-1	Planks	20 x 60 x 3/4	0.75	36	62%	8	66	66	24	
		1221-75-1	Planks	24 x 60 x 3/4	0.75	36	62%	8	80	80	16	
		1228-75-1	Planks	24 x 72 x 3/4	0.75	36	62%	8	96	96	16	
		12204-48-75-1	SmartFit	4 x 48 x 3/4	0.75	—	62%	48	64	64	16	
		12206-48-75-1	SmartFit	6 x 48 x 3/4	0.75	—	62%	32	64	64	16	
		12212-48-75-1	SmartFit	12 x 48 x 3/4	0.75	—	62%	16	64	64	16	
		12212-60-75-1	SmartFit	12 x 60 x 3/4	0.75	—	62%	16	80	80	16	
		NRC 70	1222-IOF-1	Panels	24 x 24 x 3/4	0.70	33	62%	14	56	56	16
			1220-IOF-1	Panels	24 x 48 x 3/4	0.70	35	62%	8	64	64	16
			1223-IOF-1	Panels	30 x 30 x 3/4	0.70	39	62%	8	50	50	28
1229-IOF-1	Panels		30 x 60 x 3/4	0.70	41	62%	8	100	100	16		
12220-60-IOF-1	Planks		20 x 60 x 3/4	0.70	39	62%	8	66	66	24		
1221-IOF-1	Planks		24 x 60 x 3/4	0.70	36	62%	8	80	80	16		
1228-IOF-1	Planks		24 x 72 x 3/4	0.70	37	62%	8	96	96	16		
12204-48-IOF-1	SmartFit		4 x 48 x 3/4	0.70	—	62%	48	64	64	16		
12206-48-IOF-1	SmartFit		6 x 48 x 3/4	0.70	—	62%	32	64	64	16		
12212-24-75-1	SmartFit		12 x 24 x 3/4	0.70	—	62%	28	56	56	16		
12212-24-IOF-1	SmartFit	12 x 24 x 3/4	0.70	—	62%	28	56	56	16			
12212-48-IOF-1	SmartFit	12 x 48 x 3/4	0.70	—	62%	16	64	64	16			
12212-60-IOF-1	SmartFit	12 x 60 x 3/4	0.70	—	62%	16	80	80	16			

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

Customer Support | certainteed.com/ceilings | 800-233-8990

CertainTeed
SAINT-GOBAIN

SYMPHONY® m | SYMPHONY® m High NRC

Smooth
Mineral Fiber

All products in this line
feature these attributes:



SYMPHONY m


	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet	
REVEAL										
NRC 75	1222BB-75-1	Panels	24 x 24 x 3/4	0.75	36	62%	14	56	56	16
	1220BB-75-1	Panels	24 x 48 x 3/4	0.75	36	62%	8	64	64	16
	12220-60BB-75-1	Planks	20 x 60 x 3/4	0.75	36	62%	8	66	66	24
	1221BB-75-1	Planks	24 x 60 x 3/4	0.75	36	62%	8	80	80	16
	1228BB-75-1	Planks	24 x 72 x 3/4	0.75	36	62%	8	96	96	16
	12204-48BB-75-1	SmartFit	4 x 48 x 3/4	0.75	—	62%	48	64	64	16
	12206-48BB-75-1	SmartFit	6 x 48 x 3/4	0.75	—	62%	32	64	64	16
	12212-60BB-75-1	SmartFit	12 x 24 x 3/4	0.75	—	62%	16	80	80	16
	12212-48BB-75-1	SmartFit	12 x 48 x 3/4	0.75	—	62%	16	64	64	16
NRC 70	1222BB-IOF-1	Panels	24 x 24 x 3/4	0.70	33	62%	14	56	56	16
	1220BB-IOF-1	Panels	24 x 48 x 3/4	0.70	35	62%	8	64	64	16
	12220-60BB-IOF-1	Planks	20 x 60 x 3/4	0.70	39	62%	8	66	66	24
	1221BB-IOF-1	Planks	24 x 60 x 3/4	0.70	36	62%	8	80	80	16
	1228BB-IOF-1	Planks	24 x 72 x 3/4	0.70	37	62%	8	96	96	16
	12204-48BB-IOF-1	SmartFit	4 x 48 x 3/4	0.70	—	62%	48	64	64	16
	12206-48BB-IOF-1	SmartFit	6 x 48 x 3/4	0.70	—	62%	32	64	64	16
	12212-24BB-75-1	SmartFit	12 X 24 X 3/4	0.70	—	62%	28	56	56	16
	12212-24BB-IOF-1	SmartFit	12 X 24 X 3/4	0.70	—	62%	28	56	56	16
	12212-48BB-IOF-1	SmartFit	12 x 48 x 3/4	0.70	—	62%	16	64	64	16
	12212-60BB-IOF-1	SmartFit	12 x 60 x 3/4	0.70	—	62%	16	80	80	16

NARROW REVEAL

NRC 75	1222BF-75-1	Panels	24 x 24 x 3/4	0.75	36	62%	14	56	56	16
	1220BF-75-1	Panels	24 x 48 x 3/4	0.75	36	62%	8	64	64	16
	12220-60BF-75-1	Planks	20 x 60 x 3/4	0.75	36	62%	8	66	66	24
	1221BF-75-1	Planks	24 x 60 x 3/4	0.75	36	62%	8	80	80	16
	1228BF-75-1	Planks	24 x 72 x 3/4	0.75	36	62%	8	96	96	16
	12204-48BF-75-1	SmartFit	4 x 48 x 3/4	0.75	—	62%	48	64	64	16
	12206-48BF-75-1	SmartFit	6 x 48 x 3/4	0.75	—	62%	32	64	64	16
	12212-60BF-75-1	SmartFit	12 x 24 x 3/4	0.75	—	62%	16	80	80	16
	12212-48BF-75-1	SmartFit	12 x 48 x 3/4	0.75	—	62%	16	64	64	16
NRC 70	1222BF-IOF-1	Panels	24 x 24 x 3/4	0.70	33	62%	14	56	56	16
	1220BF-IOF-1	Panels	24 x 48 x 3/4	0.70	35	62%	8	64	64	16
	12220-60BF-IOF-1	Planks	20 x 60 x 3/4	0.70	39	62%	8	66	66	24
	1221BF-IOF-1	Planks	24 x 60 x 3/4	0.70	36	62%	8	80	80	16
	1228BF-IOF-1	Planks	24 x 72 x 3/4	0.70	37	62%	8	96	96	16
	12204-48BF-IOF-1	SmartFit	4 x 48 x 3/4	0.70	—	62%	48	64	64	16
	12206-48BF-IOF-1	SmartFit	6 x 48 x 3/4	0.70	—	62%	32	64	64	16
	12212-24BF-75-1	SmartFit	12 x 24 x 3/4	0.70	—	62%	28	56	56	16
	12212-24BF-IOF-1	SmartFit	12 x 24 x 3/4	0.70	—	62%	28	56	56	16
	12212-48BF-IOF-1	SmartFit	12 x 48 x 3/4	0.70	—	62%	16	64	64	16
	12212-60BF-IOF-1	SmartFit	12 x 60 x 3/4	0.70	—	62%	16	80	80	16




SYMPHONY® m | SYMPHONY® m High NRC

Smooth
Mineral Fiber

SYMPHONY m		Format	Dimensions (mm)	NRC	CAC	Recycled Content	Pieces/carton	Sq. m/carton	Lbs./carton	Cartons/pallet	
METRIC TRIM											
	NRC 75	12220-60-75-1M	Panels	500 x 1500 x 19	0.75	36	62%	8	6	96	16
		1220-75-1M	Panels	600 x 1200 x 19	0.75	36	62%	8	5.8	49	32
		1222-75-1M	Panels	600 x 600 x 19	0.75	36	62%	14	5	55	16
		1229-75-1M	Panels	750 x 1500 x 19	0.75	36	62%	8	9	64	24
		1223-75-1M	Panels	750 x 750 x 19	0.75	36	62%	8	4.5	62	16
NRC 70	12220-60-10F-1M	Panels	500 x 1500 x 19	0.70	38	62%	8	6	96	16	
	1220-10F-1M	Panels	600 x 1200 x 19	0.70	35	62%	8	5.8	49	32	
	1222-10F-1M	Panels	600 x 600 x 19	0.70	33	62%	14	5	55	16	
	1229-10F-1M	Panels	750 x 1500 x 19	0.70	40	62%	8	9	64	24	
	1223-10F-1M	Panels	750 x 750 x 19	0.70	38	62%	8	4.5	62	16	

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

ACCESSORIES

SYMPHONY m ACCESSORIES	Product Name	Pieces/carton	Use
	1170-SEL-1 Mineral Fiber Edge Sealant	1	For re-sealing cut edges; 1 quart container
	STBAR-2 2' Stabilizer Bar	40	Recommended for all 2x5, 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x5, 2x6, 2 pc./panel for 2x8
	STBAR-4 4' Stabilizer Bar	40	Recommended for all 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x6, 2 pc./panel for 2x8

PHYSICAL DATA

MATERIAL
Mineral Fiber

ASTM E1264 CLASSIFICATION
Type IV, Form 2, Pattern E

FIRE CLASS (ASTM E1264)
All are Class A per ASTM E84 & CAN S102
Flame Spread: 25 or less
Smoke Developed: 50 or less

VOC EMISSIONS
Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010.

MOLD/MILDEW RESISTANCE
BioShield® treatment included for added mold and mildew resistance.

MAINTENANCE
Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

WARRANTY
10-year 104/90 Limited Warranty increases to 15 years when installed with CertainTeed Suspension Systems. Full warranty information can be found at certainteed.com/ceilings.